



**SAFETY DATA SHEET  
ARDEX DGR**

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

PRODUCT NAME                    ARDEX DGR

SUPPLIER                         Ardex UK Limited  
Homefield Road  
Haverhill  
Suffolk  
CB9 8QP  
Tel. 01440 714939  
Fax. 01440 716667  
e-mail:  
safetydatasheets@ardex.co.uk

EMERGENCY TELEPHONE        +44 (0) 870 190 6777 (24 hours)

**2 HAZARDS IDENTIFICATION**

Risk of serious damage to eyes. Harmful by inhalation, in contact with skin and if swallowed. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Flammable. Harmful: may cause lung damage if swallowed.

CLASSIFICATION                Xn;R20/21/22, R65. Xi;R41. R52/53, R10.

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

Name	EC No.	CAS-No.	Content	Classification
ISOTRIDECANOL ETHOXYLATE		24938-91-8	10-30%	Xn;R22. Xi;R41.
LOW BOILING POINT NAPHTHA UNSPECIFIED SOLVENT NAPHTHA	265-199-0	64742-95-6	10-30%	Xn;R65. Xi;R37. N;R51/53. R10.
XYLENE	215-535-7	1330-20-7	10-30%	R10 Xn;R20/21 Xi;R38

The Full Text for all R-Phrases are Displayed in Section 16

**4 FIRST-AID MEASURES**

**INHALATION**

Move the exposed person to fresh air at once. Get medical attention.

**INGESTION**

DO NOT INDUCE VOMITING! Provide rest, warmth and fresh air. Get medical attention.

**SKIN CONTACT**

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

**EYE CONTACT**

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

**5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA**

Extinguish with carbon dioxide or dry powder.

**UNUSUAL FIRE & EXPLOSION HAZARDS**

FLAMMABLE.

**PROTECTIVE MEASURES IN FIRE**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

**6 ACCIDENTAL RELEASE MEASURES**

**PERSONAL PRECAUTIONS**

Wear protective clothing as described in Section 8 of this safety data sheet.

## ARDEX DGR

### ENVIRONMENTAL PRECAUTIONS

Do not allow to enter drains, sewers or watercourses. Contain spillages with sand, earth or any suitable adsorbent material.

### SPILL CLEAN UP METHODS

Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

### STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container. Keep away from heat, sparks and open flame.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
XYLENE	WEL	50 ppm(Sk)	220 mg/m3(Sk)	100 ppm(Sk)	441 mg/m3(Sk)

### PROTECTIVE EQUIPMENT



### ENGINEERING MEASURES

Provide adequate ventilation. Observe Workplace Exposure Limits and minimise the risk of inhalation of vapours.

### RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Recommended Workplace Exposure Limit.

### HAND PROTECTION

Use protective gloves made of: Nitrile. Viton rubber (fluor rubber).

### EYE PROTECTION

Wear approved safety goggles.

### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

### HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### SKIN PROTECTION

Wear apron or protective clothing in case of splashes.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid	MELTING POINT (°C)	-30
COLOUR	Light blue.	VAPOUR PRESSURE	7 mm Hg 20
ODOUR	Characteristic	AUTO IGNITION	500
BOILING POINT (°C)	138	TEMPERATURE (°C)	
RELATIVE DENSITY	0.95		
FLASH POINT (°C)	25 Not noted.		

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions.

### CONDITIONS TO AVOID

Avoid contact with acids and oxidising substances.

## ARDEX DGR

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

**11 TOXICOLOGICAL INFORMATION**

TOXIC DOSE 1 - LD 50                      2119 mg/kg (oral-mouse)

TOXIC DOSE 2 - LD 50                      4300 mg/kg (oral rat)

**INHALATION**

Harmful by inhalation. May cause irritation to the respiratory system.

**INGESTION**

Harmful if swallowed.

**SKIN CONTACT**

Harmful in contact with skin. Irritating to skin.

**EYE CONTACT**

Irritating to eyes.

**TARGET ORGANS**

Skin. Eyes. Respiratory system, lungs.

**12 ECOLOGICAL INFORMATION**

**ECOTOXICITY**

Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

**MOBILITY**

The product is soluble in water.

**BIOACCUMULATION**

Will not bio-accumulate.

**DEGRADABILITY**

The product is not biodegradable.

**13 DISPOSAL CONSIDERATIONS**

**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**



UK ROAD CLASS	3		
PROPER SHIPPING NAME	PAINT RELATED MATERIAL		
ROAD TRANSPORT NOTES	Not Classified		
RAIL TRANSPORT NOTES	Not Classified.		
SEA TRANSPORT NOTES	Not Classified.		
AIR TRANSPORT NOTES	Not Classified.		
UN NO. ROAD	1263	UK ROAD PACK GR.	III
ADR CLASS NO.	3	ADR CLASS	Class 3: Flammable liquids.
ADR PACK GROUP	III	HAZARD No. (ADR)	30
ADR LABEL NO.	3	HAZCHEM CODE	3YE
CEFIC TEC(R) NO.	30GF1-III, 30GF1-sp	RID CLASS NO.	3
RID PACK GROUP	III	UN NO. SEA	1263
IMDG CLASS	3	IMDG PACK GR.	III
EMS	F-E, S-E	MARINE POLLUTANT	No.

**ARDEX DGR**

UN NO. AIR 1263 AIR CLASS 3  
 AIR PACK GR. III

**15 REGULATORY INFORMATION**

LABELLING



Harmful

CONTAINS ISOTRIDECANOL ETHOXYLATE  
 XYLENE

RISK PHRASES

- R41 Risk of serious damage to eyes.
- R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R10 Flammable.
- R65 Harmful: may cause lung damage if swallowed.

SAFETY PHRASES

- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- S51 Use only in well-ventilated areas.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37.

**16 OTHER INFORMATION**

REVISION DATE 20/05/2008

REV. NO./REPL. SDS GENERATED 1

RISK PHRASES IN FULL

- R10 Flammable.
- R20/21 Harmful by inhalation and in contact with skin.
- R22 Harmful if swallowed.
- R37 Irritating to respiratory system.
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.